METHODS TO REDUCE THE SENSITIVITY OF ENDOTHELIALLY-COMPROMISED VASCULAR SMOOTH MUSCLE Title:

## Amendments to the Claims

This listing of the claims will replace all prior versions, and listings, of claims in the application:

- (Currently amended) A method to normalize the contractile response of an Claim 1. endothelially-compromised vascular smooth muscle cell in response to a vasoconstrictor agonist in a patient in need of such normalization, comprising administering a pharmaceutically effective amount of a CLC3 blocker, or a pharmaceutically acceptable salt thereof.
- Claims 2-5 (Cancelled)
- (Currently amended) A method of claim 23, wherein the compound Claim 6. administered is 1-p-β-dimethylaminoethoxyphenyl-trans-1,2-diphenylbut-1-ene, or a pharmaceutically acceptable salt thereof.
- Claim 7. (Previously presented) A method of claim 23, wherein the patient has diabetes.
- Claim 8. (Previously presented) A method of claim 23, wherein the patient has had a surgical procedure.
- Claim 9. (Previously presented) A method of claim 23, wherein the patient has hypertension.
- (Previously presented) A method of claim 23, wherein the patient has coronary Claim 10. artery disease.
- (Previously presented) A method of claim 23, which further comprises Claim 11. administering a pharmaceutically-effective compound selected from the group

consisting of: an anti-diabetes agent; an anti-hypertension agent; an anti-coronary artery disease agent; and an anti-restenosis agent.

## Claims 12-22 (Cancelled)

Claim 23. (Previously presented) A method of claim 1, wherein the CLC3 blocker is a compound of Formula I

$$R^4R^5N(CH_2)_nO$$

wherein

either R<sup>4</sup> is H or a lower alkyl radical and R<sup>5</sup> is a lower alkyl radical, or R<sup>4</sup> and R<sup>5</sup> are joined together with the adjacent nitrogen atom to form a heterocyclic radical;

R<sup>6</sup> is H or a lower alkyl radical;

R<sup>7</sup> is H, halo, OH, a lower alkyl radical, or is a buta-1,3-dienyl radical which together with the adjacent benzene ring forms a naphthyl radical;

R8 is H or OH; and

n is 2;

or a pharmaceutically acceptable salt thereof.

Claim 24. (Cancelled)

Tille: METHODS TO REDUCE THE SENSITIVITY OF ENDOTHELIALLY-COMPROMISED VASCULAR SMOOTH MUSCLE

Claim 25. (New) A method to normalize the contractile response of an endotheliallycompromised vascular smooth muscle cell in response to a vasoconstrictor agonist
in a patient in need of such normalization, comprising administering a
pharmaceutically effective amount of a CLC3 blocker, or a pharmaceutically
acceptable salt thereof, wherein the vasoconstrictor agonist is norepinephrine, KC1
or scrotonin.